AUTHOR INDEX

Abe O., see Wakabayashi G., 169
Abstracts, 73, 153, 233, 318, 395, 477
Ackroyd F. P., see Remensnyder J. P., 329
Ackroyd F. P., see Remensnyder J. P., 333
Aikawa N., see Wakabayashi G., 169
Al-Baker A., see Attalla M. F., 69
Alexander J. W., see Fang C. H., 190
Allgower M., see Sparkes B.G., 118
Andel M., see Kudlackova M., 53
Anderl H., see Komurcu F., 227
Ao(Ngao) Li, Yuesheng Huang and Zongcheng Yang, Roles of thromboxane and its inhibitor anisodamine in burn shock, 249
Aoyama H., Yokoo K. and Fujii K., Systemic absorption of sulphadiazine, silver sulphadiazine and sodium sulphadiazine through human burn wounds, 163
Ara M., see Sawada Y., 230
Ara M., see Sawada Y., 347
Ara M., see Sawada Y., 353
Ardawi M. S. M., see Jamal Y. S., 36
Ashy A. R. A., see Jamal Y. S., 36
Astrozjnikova S., see Remensnyder J. P., 329
Astrozjnikova S., see Remensnyder J. P., 333
Attalla M. F., El-Ekiabi S. and Al-Baker A., A ring burn – electric or contact?, 69
Baar S., A convenient and reproducible filtration technique for the determination of erythrocyte deformability, 385
Baena Montilla P., see Benito Ruiz J., 309
Bang R. L., see Ebrahim M. K. H., 291
Banuelos Roda J. A., see Gomez Morell P. A., 423
Banuelos Roda J. A., see Jimenez-Hernandez F. H., 426
Barisoni D., Peci S., Governa M., Sanna A. and Furlan S., Mortality rate and prognostic indices in 2615 burned patients, 373
Baruchin A. M., see Reisin L., 128
Becker W. K., see Kulyapin A. V., 339
Becker W. K., Waymack J. P., McManus A. T., Shaikhutdinov M. and Pruitt B. A., Bashkirian train–gas pipeline disaster: the American military response, 325
Bedford M., see van der Merwe A. E., 193
Beecham L., see Pegg S. P., 113
Bejar J. M., Jul C. and Gabilondo F. J., Letter to the Editor, 473
Belcher H. J. C. R. and Ellis H., An investigation of the anabolic activity of somatropin in normal and burned rats, 17
Belcher H. J. C. R., Sheldon J. and Riches P., An investigation of immunological subclass function in burned adults, 286
Ben Meir P., Rosenberg L., Sagi A. and Ben Yakar Y., Radiator scald burns: a preventable hazard, 135
Ben Meir P., Sagi A., Ben Yakar Y. and Rosenberg L., Suicide attempts by self immolation – our experience, 257
Ben Meir P., Rosenberg L., Sagi A., Vardi D. and Eldad A., Jellyfish envenomation: a summer epidemic, 471
Benito Ruiz J., Baena Montilla P. and Navarro Monzonis A., Sick cell syndrome in a burned patient, 309
Ben Yakar Y., see Ben Meir P., 135
Ben Yakar Y., see Ben Meir P., 257
Bhatnagar S. K., see Tiwari P., 150
Bing-guo L., Wei-shia H. and Tsi-siang S., Causes of death in the aged burn patients: analysis of 36 cases, 207
Biswas G., see Sharma R. K. 467
Bolivar-Flores J., Poumian E., Marsch-Moreno M., Montes de Oca G. and Kuri-Harcuch W., Use of cultured human epidermal keratinocytes for allografting burns and conditions for temporary banking of the cultured allografts, 3
Borenstein A., see Gilboa D., 441
Boucher J., Raglon B., Valdez S. and Haffajee M., Possible role of chemical hair care products in 10 patients with face, scalp, ear, back, neck and extremity burns, 146
Bouter L. M., van Rijn O. J. L. and Kok G., Importance of planned health education for burn injury prevention, 198
Bowden M. L., see Prasad J. K., 297
Bowen-Jones E. J., see Bowen-Jones J. R., 445
Bowen-Jones J. R., Coovadia Y. M. and Bowen-Jones E. J., Infection control in a Third World burn facility, 445
Boxma H., see de Haan K. E. C., 393
Breitenstein E., Chiolero R. L., Jequier E., Dayer P., Krupp S. and Schutz Y., Effects of beta-blockade on energy metabolism following burns, 259
Brock A. J., see Sparkes B. G., 123
Budkevitch L. G., see Remensnyder J. P., 329
Budkevitch L. G., see Remensnyder J. P., 333
Buletova A. A., see Remensnyder J. P., 329
Buletova A. A., see Remensnyder J. P., 333
Burke J. F., see Rossignol A. M., 41
Burke J. F., see Locke J. A., 273
Burn care facilities in the Federal Republic of Germany, 294
Buttle D. J., see Rowan A. D., 243
Caicedo Caicedo J. C., see Jimenez-Hernandez F. H., 426
Calendar, 78, 238, 320, 481
Callahan R. J., see Trop M., 278
Cantero A., see Roa L., 25
Carter E. A., see Trop M., 57
Carter E. A., see Trop M., 278
Carter E. A., see Trop M., 343
Chang B. L., see Steward R. J., 409
Chang Z. D., see Shen Z. Y., 449
Charkiolakis G., see Ioannovich J., 129
Cheng J. C. Y., Leung K. S., Lam Z. C-L and Leung P. C., An analysis of 1704 burn injuries in Hong Kong children, 182
Childs C., Hall T., Davenport P. J. and Little R. A., Dietary intake and changes in body weight in burned children, 418
Chiolero R. L., see Breitenstein E., 259
Christensen H., see Lindblad B. E., 89
Christopher C. W., see Rowan A. D., 243
Coenen J. M. F. H., Klasen H. J. and Sauer E. W., Successful homografting in an elderly patient with extensive burns using his identical twin brother as skin donor, 225
Cole R. P. and Shakespeare P. G., Toxic shock syndrome in scalded children, 221
Cole R. P., Jones S. G. and Shakespeare P. G., Thermographic assessment of hand burns, 60
Coovadia Y. M., see Bowen-Jones J. R., 445
Creedon C. M., see Remensnyder J. P., 329
Creedon C. M., see Remensnyder J. P., 333
Cywes S., see De Wet P. M., 302
Davenport P. J., see Childs C., 418
Davies J. W. L., see Keswani M. H., 137
Dayer P., see Breitenstein E., 259
De Wet P. M., Rode H. and Cywes S., Bactericidal efficacy of 5 per cent povidone iodine cream in *Pseudomonas aeruginosa* burn wound infection, 302
de Groot C. J., see de Haan K. E. C., 393
de Haan K. E. C., Woroniecka U. D., Boxma H., de Groot C. J. and van den Hamer C. J. A., Urinary zinc excretion in a patient with burns: a caveat when using bladder catheters in urine zinc studies, 393
Demovelis P., see Ioannovich J., 129
Dijkema H., see Manson W. L., 166
Dore N., see Pegg S. P., 113
Ebrahim M. K. H., Bang R. L. and Lari A. R. A., Scald accidents during water aerosol inhalation in infants, 291
Ehrlich H. P., see Rowan A. D., 243
El-Ekiabi S., see Attalla M. F., 69
Eldad A., see Ben Meir P., 471
Ellis H., see Belcher H. J. C. R., 17
Epstein M. D., Tchervenkov J. I., Wesley Alexander J., Inoue S., Kuroiwa K. and Jacobs P., Effect of intraluminal antibiotics on translocation of *Candida albicans* in burned guinea-pigs, 105
Escudero Naif F., see Gomez Morell P. A., 423
Everitt A. S., see Frame J. D., 437
Fang C. H. and Alexander J. W., Wound contraction following transplantation of microskin autografts with overlaid skin allograft in experimental animals, 190
Fox I. H., see Woolliscroft J. O., 92
Frame J. D., Taweepoke P., Moieman N. and Rylah L., Immediate fascial flap reconstruction of joints and use of Biobrane in the burned limb, 381
Frame J. D., Everitt A. S., Gordon P. W. N. and Hackett M. E., IgG subclass response to gamma globulin administration in burned children, 437
Fujii K., see Aoyama H., 163
Furlan S., see Barisoni D., 373
Gabilondo F. J., see Bejar J. M., 473
Gilboa D., Borenstein A., Seidman D. S. and Tsur H., Burn patients' use of autohypnosis: making a painful experience bearable, 441
Gomez Morell P. A., Escudero Naif F., Palao Domenech R., Sospedra Carol E. and Banuelos Roda J. A., Burns caused by the terrorist bombing of the department store Hipercor in Barcelona. Part I, 423
Gomez-Cia T., see Roa L., 25
Gorczynski R. M., see Sparkes B. G., 123
Gordon P. W. N., see Frame J. D., 437
Governa M., see Barisoni D., 373
Guzman R. F., see Waymack J. P., 9
Gyorkos J. W., see Sparkes B. G., 123
Hackett M. E., see Frame J. D., 437
Haffajee M., see Boucher J., 146
Hajkova H., see Kudlackova M., 53
Hall T., see Childs C., 418
Hansbrough J. F., see Miller L. M., 217
Haq A., Pattern of burn injuries at a Kenyan provincial hospital, 185
Hauben D., see Robenpour M., 462
Haugsmyr E., Sorheim R. and Vindenes H., Reactions from nurses treating a burned patient after the diagnosis of HIV infection following a nursing incident, 148
Hayes-Lundy C., see Ward R. S., 390
Herndon D. N., A survey of the primary aid response to the Bashkir train–gas pipeline disaster, 323
Hotchi M., see Kobayashi K., 414
Hrdlicka D., see Pegg S. P., 113
Hukins C., see Pegg P. S., 113

© 1990 Butterworth–Heinemann Ltd
0305/4179/90/060483–05

Hung C. T., see Nangia A., 358
Hung C. T., see Nangia A., 368
Hussl H., see Komurcu F., 227
Inoue S., see Epstein M. D., 105
Inoue S., see Kuroiwa K., 265
Ioannovich J., Renieri-Liveriatou N., Charkiolakis G., Kavallierou L., Parker J., Demovelis P. and Kotsabasakis S., An HIV-positive patient with severe burns: a case report, 129
Jacobs P., see Epstein M. D., 105
Jamal Y. S., Ardawi M. S. M., Ashy A. R. A. and Shaik S. A., Paediatric burn injuries in the Jeddah area of Saudi Arabia: a study of 197 patients, 36
James N. K. and Moss A. L. H., Review of burns caused by bitumen and the problems of its removal, 214
Jequier E., see Breitenstein E., 259
Jimenez-Hernandez F. H., Lliro Blasco E., Leiva Oliva R., Caicedo Caicedo J. C. and Banuelos Roda J. A., Burns caused by the terrorist bombing of the department store Hipercor in Barcelona. Part II, 426
Johnsen H. K., see Thorsted K., 144
Jones S. G., see Cole R. P., 60
Jordan M. H., see Miller L. M., 217
Jul C., see Bejar J. M., 473
Kajihara H., see Okabayashi K., 83
Kalra G. S., see Tiwari P., 150
Kaufman T., Lusthaus S. N., Sagher U. and Wexler M. R., Deep partial skin thickness burns: a reproducible animal model to study burn wound healing, 13
Kavallierou L., see Ioannovich J., 129
Kelley S. F., see Rowan A. D., 243
Keswani M. H., Vartak A. M., Patil A. and Davies J. W. L., Histological and bacteriological studies of burn wounds treated with boiled potato peel dressings, 137
Klasen H. J., see Manson W. L., 166
Klasen H. J., see Coenen J. M. F. H., 225
Knost P. M., see Steward R. J., 409
Kobayashi K., Mukae N., Matsunaga Y. and Hotchi M., Diagnostic value of serum antibody to candida in an extensively burned patient, 414
Kok G., see Bouter L. M., 198
Komurcu F., Stuffer M., Hussl H. and Anderl H., Maintenance of stump length of both upper extremities after severe electrical burn injury, 227
Koning H. M., see Mackie D. P., 203
Kotsabasakis S., see Ioannovich J., 129
Krupp S., see Breitenstein E., 259
Krzeminska E. C., see Ward D. J., 97
Kudlackova M., Andel M., Hajkova H. and Novakova J., Acute phase proteins and prognostic inflammatory and nutritional index (PINI) in moderately burned children aged up to 3 years, 53
Kulyapin A. V., Sakhautdinov V. G., Temerbulatov T. M., Becker W. K. and Waymack J. P., Bashkiria train–gas pipeline disaster: a history of the joint USSR/USA collaboration, 339
Kuri-Harcuch W., see Bolivar-Flores J., 3
Kuroiwa K., see Epstein M. D., 105
Kuroiwa K., Trocki O., Wesley Alexander J., Tchervenkov J., Inoue S. and Nelson J. L., Effect of vitamin A in enteral formulae for burned guinea-pigs, 265
Kyff J. V., see Rice T. L., 307
Lam Z. C-L., see Cheng J. C. Y., 182
Lankina N., see Remensnyder J. P., 329
Lankina N., see Remensnyder J. P., 333
Lari A. R. A., see Ebrahim, M. K. H., 291
Leiva Oliva R., see Jimenez-Hernandez F. H., 426
Letter to the Editor, 71, 313, 396, 473
Leung K. S., see Cheng J. C. Y., 182
Leung P. C., see Cheng J. C. Y., 182
Lewis K. F., Poppe S., Twomey J. and Peltier G., Survey of perceived stressors and coping strategies among burn unit nurses, 109
Lewis W. H. P. and Sun K. K. Y., Hypertrophic scar: a genetic hypothesis, 176
Linares A. Z. and Linares H. A., Burn prevention: the need for a comprehensive approach, 281
Linares H. A., see Linares A. Z., 281
Linares H. A., Proteoglycan-lymphocyte association in the development of hypertrophic scars, 21
Lindblad B. E. and Terkelsen C. J., Domestic burns among children, 254
Lindblad B. E., Terkelsen C. J. and Christensen H., Epidemiology of domestic burns related to products, 89
Little R. A., see Childs C., 418
Lliro Blasco E., see Jimenez-Hernandez F. H., 426
Locke J. A., see Rossignol A. M., 41
Locke J. A., Rossignol A. M. and Burke J. F., Socioeconomic factors and the incidence of hospitalized burn injuries in New England Counties, USA, 273
Loder, J. S., see Miller L. M., 217
Lusthaus S. N., see Kaufman T., 13
Lybarger P. M., see Remensnyder J. P., 329
Lybarger P. M., see Remensnyder J. P., 333
Mackie D. P. and Koning H. M., Fate of mass burn casualties: implications for disaster planning, 203
Manktelow A., Burn injury and management in Liberia, 432
Manson W. L., Dijkema H. and Klasen H. J., Alteration of wound colonization by selective intestinal decontamination in thermally injured mice, 166
Marsch-Moreno M., see Bolivar-Flores J., 3
Marshall S. L., see Sparkes B. G., 118
Mason A. D., see Waymack J. P., 9
Mason S. W., see Steward R. J., 409
Matsunaga Y., see Kobayashi K., 414
Matthews R. N., Letter to the Editor, 313
Mattheyse F. J., see van der Merwe A. E., 193
McDonald K., see Prasad J. K., 297
McManus A. T., see Becker W. K., 325
Miller L. M., Loder J. S., Hansbrough J. F., Peterson H. D., Monafo W. W. and Jordan M. H., Patient tolerance study of topical chlorhexidine diphosphanilate: a new topical agent for burns, 217
Moieman N., see Frame J. D., 381
Monafo W. W., see Miller L. M., 217
Monge G., see Sparkes, B. G., 118
Montes de Oca G., see Bolivar-Flores H., 3
Morio M., see Okabayashi K., 83
Moss A. L. H., see James N. K., 214
Mukae N., see Kobayashi K., 414
Nangia A. and Hung C. T., Preclinical evaluation of skin substitutes, 358
Nangia A. and Hung C. T., Laboratory evaluation of a new hydrogel-type skin substitute, 368
Navarro Monzonis, A., see Benito Ruiz J., 309
Nelson J. L., see Kuroiwa K., 265
Novakova J., see Kudlackova M., 53
Nowak T., see Zarr M. L., 133
Ohtani M., see Okabayashi K., 83
Okabayashi K., Ohtani M., Morio M. and Kajihara H., Structural changes of Kupffer cells in rat liver following experimental thermal injury, 83
Okatyev V., see Remensnyder J. P., 329
Okatyev V., see Remensnyder J. P., 333
Ovesen O. and Wildfang I. L., Foot spas as a cause of burns, 211
Palao Domenech R., see Gomez Morell P. A., 423
Parker J., see Ioannovich J., 129
Patil A., see Keswani M. H., 137
Peci S., see Barisoni D., 373
Pegg S. P., Beecham L., Dore N., Hrdlicka D. and Hukins C., Epidemiology of burns due to domestic flammable agents, 113
Peltier G., see Lewis K. F., 109
Peters W. J., see Sparkes B. G., 118
Peterson H. D., see Miller L. M., 217
Poppe S., see Lewis K. F., 109
Poumian E., see Bolivar-Flores J., 3
Prasad J. K., see Taddonio T. E., 64
Prasad J. K., see Woolliscroft J. O., 92
Prasad J. K., see Thomson P. D., 406
Prasad J. K., Bowden M. L., McDonald K. and Thomson P. D., Rehabilitation of burned patients with bilateral above-knee amputations, 297
Prodeus P. P., see Remensnyder J. P., 329
Prodeus P. P., see Remensnyder J. P., 333
Pruitt B. A., see Waymack J. P., 9
Pruitt B. A., see Becker W. K., 325
Raglon B., see Boucher J., 146
Rayner R., see Zoltie N., 67
Recent References, 75, 155, 235, 314, 396, 474
Reddy R., see Ward R. S., 390
Reinke K., see Remensynder J. P., 329
Reinke K., see Remensynder J. P., 333
Reisin L. and Baruchin A. M., Iatrogenic defibrillator burns, 128
Remensnyder J. P., Ackroyd F. P., Astrozjnikova S., Budkevitch L. G., Buletova A. A., Creedon C. M., Lankina N., Lybarger P. M., Okatyev V., Prodeus P. P., Reinke K., Ruslan K., Salvo P. M., Tuohy C. B., Vasileva L. and Vozdvidzensky S., Burned children from the Bashkir train–gas pipeline disaster I. Acute management at Children's Hospital 9, Moscow, 329
Remensnyder J. P., Ackroyd F. P., Astrozjnikova S., Budkevitch L. G., Buletova A. A., Creedon C. M., Lankina N., Lybarger P. M., Okatyev V., Produs P. P., Reinke K., Ruslan K., Salvo P. M., Tuohy C. B., Vasileva L. and Vozdvidzensky S., Burned children from the Bashkir train–gas pipeline disaster II. Follow-up experience at Children's Hospital 9, Moscow, 333
Renieri-Liveriatou N., see Ioannovich J., 129
Rice T. L. and Kyff J. V., Intranasal administration of midazolam to a severely burned child, 307
Riches P., see Belcher H. J. C. R., 286
Roa L., Gomez-Cia T. and Cantero A., Pulmonary capillary dynamics and fluid distribution after burn and inhalation injury, 25
Robenpour M., Teman J., Tamir G. and Hauben D., Successful treatment of a 95 per cent body surface area burn, 462
Rode H., see De Wet P. M., 302
Rosenberg L., see Ben Meir P., 135
Rosenberg L., see Ben Meir P., 257
Rosenberg L., see Ben Meir P., 471
Roshdieh B. B., see Steward R. J., 409
Rossignol A. M., see Locke J. A., 273
Rossignol A. M., Locke J. A. and Burke J. F., Paediatric burn injuries in New England, USA, 41
Rossouw D. J., see van der Merwe A. E., 193
Rowan A. D., Christopher C. W., Kelley S. F., Buttle D. J. and Ehrlich H. P., Debridement of experimental full-thickness skin burns of rats with enzyme fractions derived from pineapple stem, 243
Ruslan K., see Remensynder J. P., 329
Ruslan K., see Remensynder J. P., 333
Rylah L., see Frame J. D., 381
Saffle J. R., see Ward R. S., 390
Sagher U., see Kaufman T., 13
Sagi A., see Ben Meir P., 135
Sagi A., see Ben Meir P., 257
Sagi A., see Ben Meir P., 471
Sakhautdinov V. G., see Kulyapin A. V., 339
Salvo P. M., see Remensynder J. P., 329
Salvo P. M., see Remensynder J. P., 333
Samadani S., see Steward R. J., 409
Sanna A., see Barisoni D., 373
Sauer E. W., see Coenen J. M. F. H., 225
Sawada Y., Ara M. and Yotsuyanagi T., Expanding oral angle plasty using a subcutaneous pedicle flap to correct severe microstomia after extensive facial burns, 230
Sawada Y., Ara M., Yotsuyanagi T. and Sone K., Treatment of dermal depth burn wounds with an antimicrobial agent-releasing silicone gel sheet, 347
Sawada Y., Yotsuyanagi T., Ara M. and Sone K., Experiences using silicone gel tie-over dressings following skin grafting, 353
Schiffrin E. J., see Trop M., 57

Schiffrin E. J., see Trop M., 278
Schiffrin E. J., see Trop M., 343
Schnebly W. A., see Ward R. S., 390
Schoenenberger G. A., see Sparkes B. G., 118
Schutz Y., see Breitenstein E., 259
Seidman D. S., see Gilboa D., 441
Shaik S. A., see Jamal Y. S., 36
Shaikhutdinov M., see Becker W. K., 325
Shakespeare P. G., see Cole R. P., 60
Shakespeare P. G., see Spurr E. D., 179
Shakespeare P. G., see Cole R. P., 221
Sharma R. K. and Biswas G., Repair of a urethral fistula following electrical burns using a gracilis muscle flap, 467
Sheldon J., see Belcher H. J. C. R., 286
Shen Z. Y., Chang Z. D. and Wang N. Z., Electrical injury of wrist: classification and treatment – clinical analysis of 90 cases, 449
Smith D. J., see Taddonio T. E., 64
Smith D. J., see Thomson P. D., 406
Sone K., see Sawada Y., 347
Sone K., see Sawada Y., 353
Sorensen T. H., see Thorsted K., 144
Sorheim R., see Haugsmyr E., 148
Sospedra Carol E., see Gomez Morell P. A., 423
Sparkes B. G., Monge G., Marshall S. L., Peters W. J., Allgower M. and Schoenenberger G. A., Plasma levels of cutaneous burn toxin and lipid peroxides in thermal injury, 118
Sparkes B. G., Gyorkos J. W., Gorczynski R. M. and Brock A. J., Comparison of endotoxins and cutaneous burn toxin as immunosuppressants, 123
Spurr E. D. and Shakespeare P. G., Incidence of hypertrophic scarring in burn-injured children, 179
Steward R. J., Yamaguchi K. T., Knost P. M., Mason S. W., Roshdieh B. B., Samadani S. and Chang B. L., Effects of ibuprofen on pulmonary oedema in an animal smoke inhalation model, 409
Strauss H. W., see Trop M., 278
Stuffer M., see Komurcu F., 227
Sun K. K. Y., see Lewis W. H. P., 176
Taddonio T. E., Thomson P. D., Smith D. J. and Prasad J. K., Topical antimicrobial testing of burn wound micro-organisms: evaluation of a new technique, 64
Tamir G., see Robenpour M., 462
Tanner N. S. B., see Ward D. J., 97
Taweepoke P., see Frame J. D., 381
Tchervenkov J. I., see Epstein M. D., 105
Tchervenkov J., see Kuroiwa K., 265
Teman J., see Robenpour M., 462
Temerbulatov T. M., see Kulyapin A. V., 339
Terkelsen C. J., see Lindblad B. E., 89
Terkelsen C. J., see Lindblad B. E., 254
Thomson P. D., see Taddonio T. E., 64
Thomson P. D., see Prasad J. K., 297
Thomson P. D., Till G. O., Woolliscroft J. O., Smith D. J. and Prasad J. K., Superoxide dismutase prevents lipid peroxidation in burn patients, 406
Thomson P., see Woolliscroft J. O., 92
Thorsted K., Sorensen T. H., Johnsen H. K. and Vindenes H., Starting and running a new burn unit in Bergen, Norway: a constant shortage of nurses?, 144
Till G. O., see Woolliscroft J. O., 92
Till G. O., see Thomson P. D., 406
Tiwari P., Kalra G. S. and Bhatnagar S. K., Fasciocutaneous flaps for burn contractures of the axilla, 150
Trocki O., see Kuroiwa K., 265
Trop M., Schiffrin E. J. and Carter E. A., Role of skin in the burn-induced reduction of reticuloendothelial phagocytic activity in rats, 57
Trop M., Schiffrin E. J., Callahan R. J., Strauss H. W. and Carter E. A., Effect of acute burn trauma on reticuloendothelial system phagocytic activity in rats. II: Comparison of uptake of radiolabelled colloid and bacteria, 278
Trop M., Schiffrin E. J. and Carter E. A., Role of neutrophils in the intestinal alterations associated with thermal injury, 343
Tsi-siang S., see Bing-guo L., 207
Tsur H., see Gilboa D., 441
Tuohy C. B., see Remensynder J. P., 329
Tuohy C. B., see Remensynder J. P., 333
Twomey J., see Lewis K. F., 109
Ueda M., see Wakabayashi G., 169
Valdez S., see Boucher J., 146
van Helden P. D., see van der Merwe A. E., 193
van Rijn O. J. L., see Bouter L. M., 198
van den Hamer C. J. A., see de Haan K. E. C., 393
van der Merwe A. E., Mattheyse F. J., Bedford M., van Helden P. D. and Rossouw D. J., Allografted keratinocytes used to accelerate the treatment of burn wounds are replaced by recipient cells, 193
Vardi D., see Ben Meir P., 471
Vartak A. M., see Keswani M. H., 137
Vasileva L., see Remensynder J. P., 329
Vasileva L., see Remensynder J. P., 333
Vindenes H., see Thorsted K., 144
Vindenes H., see Haugsmyr E., 148
Vozdvidzensky S., see Remensynder J. P., 329
Vozdvidzensky S., see Remensynder J. P., 333
Wakabayashi G., Ueda M., Aikawa N. and Abe O., Atrial natriuretic polypeptide after burn injury: blood levels and physiological role in rats, 169
Walker A. R., Fatal tapwater scald burns in the USA, 1979–86, 49
Wang Xuemin, Chen Keming, Shi Ying and Shi Hanping, Functional changes of the NADH respiratory chain in rat-liver mitrochondria and the content changes of high-energy phosphate groups in rat liver and heart during the early phase of burn injury, 377
Wang N. Z., see Shen Z. Y., 449
Ward D. J., Krzeminska E. C. and Tanner N. S. B., Treatment of toxic epidermal necrolysis and a review of six cases, 97
Ward R. S., Hayes-Lundy C., Schnebly W. A., Reddy R. and Saffle J. R., Rehabilitation of burn patients with concomitant limb amputation: case reports, 390
Waymack J. P., see Becker W. K., 325
Waymack J. P., see Kulyapin A. V., 339
Waymack J. P., Guzman R. F., Mason A. D. and Pruitt B. A., Effect of prostaglandin E in multiple experimental models. VII. Effect on resistance to sepsis, 9
Wei-shia H., see Bing-guo L., 207
Wesley Alexander J., see Epstein M. D., 105
Wesley Alexander J., see Kuroiwa K., 265
Wexler M. R., see Kaufman T., 13
Wildfang I. L., see Ovesen O., 211
Woolliscroft J. O., see Thomson P. D., 406
Woolliscroft J. O., Prasad J. K., Thomson P., Till G. O. and Fox I. H., Metabolic alterations in burn patients: detection of adenosine triphosphate degradation products and lipid peroxides, 92
Woroniecka U. D., see de Haan K. E. C., 393
Yamaguchi K. T., see Steward R. J., 409
Yang J-Y., Clinical application of collagen sheet, YCWM, as a burn wound dressing, 457
Yokoo K., see Aoyama H., 163
Yotsuyanagi T., see Sawada Y., 230
Yotsuyanagi T., see Sawada Y., 347
Yotsuyanagi T., see Sawada Y., 353
Yuesheng Huang, see Ao(Ngao) Li, 249
Zarr M. L. and Nowak T., Catatonia and burns, 133
Zoltie N. and Rayner R., Protecting the exposed skin graft – the Norwich cage, 67
Zongcheng Yang, see Ao(Ngao) Li, 249

SUBJECT INDEX

5 per cent povidone iodine cream
  bacterial efficacy, *Pseudomonas aeruginosa*, burn wound infection, 302
95 per cent body surface burn, 462
acute management
  burned children, Bashkir, train–gas pipeline disaster, Children's Hospital 9, Moscow, 329
acute phase proteins
  prognostic inflammatory and nutritional index (PINI), burned children, 53
adenosine triphosphate
  metabolic alterations, degradation products, lipid peroxides, 92
aerosol inhalation
  scald accidents, 291
aged burn patients 207
allografted keratinocytes 193
American military response
  Bashkirian, train–gas pipeline disaster, 325
anabolic activity
  somatropin, 17
anisodamine
  thromboxane, burn shock, 249
anti-microbial agent
  dermal depth burn wounds, silicone gel sheet, 347
antibody to candida 414
atrial natriuretic polypeptide 169
autohypnosis
  painful experiences, 441
axilla
  fasciocutaneous flaps, burn contractures, 150
bacteria
  retuculoendothelial system phagocytic activity, radiolabelled colloid, 278
bacteria efficacy
  5 per cent povidone iodine cream, *Pseudomonas aeruginosa*, burn wound infection, 302
banking
  cultured keratinocytes, cultured allografts, 3
Barcelona
  terrorist bombing, department store, Hipercor, 423, 426
Bashkir
  primary aid, train–gas pipeline disaster, 323
  burned children, train–gas pipeline disaster, acute management, Children's Hospital 9, Moscow, 329
  burned children, train–gas pipeline disaster, Children's Hospital 9, Moscow, 333
Bashkirian

train–gas pipeline disaster, American military response, 325
train–gas pipeline disaster, USSR–USA collaboration, 339
Bergen
new burn unit, Norway, 144
beta-blockade
energy metabolism, 259
bilateral above-knee amputation
rehabilitation of burned patients, 297
Biobrane
fascial flap, 381
bitumen
burns, 214
bladder catheters
urinary zinc, 393
body weight
dietary intake, burned children, 418
bound wound healing
partial skin thickness burns, 13
burn care facilities
Federal Republic of Germany, 294
burn contractures
fasciocutaneous flaps, axilla, 150
burn injuries
Hong Kong, 182
provincial hospital, Kenya, 185
burn injury
management, Liberia, 432
burn injury prevention
planned health education, 198
burn prevention 281
burn shock
thromboxane, anisodamine, 249
burn unit nurses
perceived stressor, coping strategies, 109
burn wound dressing
collagen sheet, YCWM, 457
burn wound infection
bacterial efficacy, 5 per cent povidone iodine cream, *Pseudomonas aeruginosa*, 302
burn wound micro-organisms
topical antimicrobial testing, 64
burn wounds
potato peel dressings, 137
burned children
acute phase proteins, prognostic inflammatory and nutritional index (PINI), 53
Bashkir, train–gas pipeline disaster, acute management, Children's Hospital 9, Moscow, 329
Bashkir, train–gas pipeline disaster, Children's Hospital 9, Moscow, 333
dietary intake, body weight, 418
hypertrophic scars, 179
IgG subclass, gamma globulin, 437
midazolam, 307
burned guinea-pigs
intraluminal antibiotics, translocation, *Candida albicans*, 105
vitamin A, enteral formulae, 265
burned patients
sick cell syndrome, 309
superoxide dismutase, lipid peroxidation, 406
burns
bitumen, 214
Candida albicans
intraluminal antibiotics, translocation, burned guinea-pigs, 105
capillary dynamics
pulmonary, fluid distribution, inhalation injury, 25
Catatonia 133
Chemical hair care products
face, scalp, ear, back, neck, extremity burns, 146
children
domestic burns, 254
Children's Hospital 9, Moscow
burned children, Bashkir, train–gas pipeline disaster, acute management, 329
burned children, Bashkir, train–gas pipeline disaster, 333
collagen sheet
YCWM, burn wound dressing, 457
contact burns
ring burn, electric burns, 69
coping strategies
perceived stressor, burn unit nurses, 109
cultured allografts
cultured keratinocytes, banking, 3
cultured keratinocytes
banking, cultured allografts, 3
cutaneous burn toxin
lipid peroxides, thermal injury, 118
endotoxins, immunosuppressants, 123
debridement
full-thickness skin burns, enzyme fractions, pineapple stem, 243
defibrillator burns 128
degradation products
metabolic alterations, adenosine triphosphate, lipid peroxides, 92
department store, Hipercor
terrorist bombing, Barcelona, 423, 426
dermal depth burn wounds
anti-microbial agent, silicone gel sheet, 347
dietary intake
body weight, burned children, 418
disaster planning
mass burn casualties, 203
domestic burns
children, 254
epidemiology, 89
domestic flammable agents
epidemiology, 113
electric burns
ring burn, contact burns, 69
electrical burn
stump length, upper extremities, 227
electrical burns
urethral fistula, gracilis muscle flap, 467
electrical injury
wrist, 449
endotoxins
cutaneous burn toxin, immunosuppressants, 123
energy metabolism
beta-blockade, 259
enteral formulae
vitamin A, burned guinea-pigs, 265
envenomation
jellyfish, 471
enzyme fractions
debridement, full-thickness skin burns, pineapple stem, 243
epidemiology
domestic burns, 89
domestic flammable agents, 113
erythrocyte deformability
filtration technique, 385
experimental thermal injury
Kupffer cells, rat liver, 83
extremity burns
chemical hair care products, face, scalp, ear, back, neck, 146
face, scalp, ear, back, neck
chemical hair care products, extremity burns, 146
facial burn
oral angle plasty, subcutaneous pedicle flap, microstomia, 230
fascial flap
Biobrane, 381
fasciocutaneous flaps
burn contractures, axilla, 150
Federal Republic of Germany
burn care facilities, 294
filtration technique
erythrocyte deformability, 385
fluid distribution
pulmonary, capillary dynamics, inhalation injury, 25
foot spas 211
full-thickness skin burns
debridement, enzyme fractions, pineapple stem, 243
gamma globulin
IgG subclass, burned children, 437
genetic hypothesis
hypertropic scar, 176
gracilis muscle flap
urethral fistula, electrical burns, 467
hand burns
thermographic analysis, 60
high-energy phosphate groups
NADH respiratory chain, rat-liver mitochondria, rat liver, 377
HIV infection 148
HIV-positive patient 129
homografting
identical twins, 225
Hong Kong
burn injuries, 182
hospitalized burn injuries
socioeconomic factors, USA, New England, 273
hydrogel-type skin substitute 368
hypertrophic scars
burned children, 179
genetic hypothesis, 176
proteoglycan-lymphocyte, 21
ibuprofen
pulmonary oedema, smoke inhalation model, 409
IgG subclass
gamma globulin, burned children, 437
immunological subclass function 286
immunosuppressants
endotoxins, cutaneous burn toxin, 123
identical twins
homografting, 225
infection control
Third World burn facility, 445
inhalation injury
pulmonary, capillary dynamics, fluid distribution, 25
intestinal alterations
neutrophils, thermal injury, 343
intraluminal antibiotics
translocation, *Candida albicans*, burned guinea-pigs, 105
Jeddah area
paediatric burn injuries, Saudi Arabia, 36
jellyfish
envenomation, 471
Kenya
burn injuries, provincial hospital, 185
Kupffer cells
rat liver, experimental thermal injury, 83
Liberia
burn injury, management, 432
limb amputation
rehabilitation, 390
lipid peroxidation
superoxide dismutase, burned patients, 406
lipid peroxides
cutaneous burn toxin, thermal injury, 118
metabolic alterations, adenosine triphosphate, degradation products, 92
management
burn injury, Liberia, 432
mass burn casualties
disaster planning, 203
metabolic alterations
adenosine triphosphate, degradation products, lipid peroxides, 92
microskin autografts
wound contraction, skin allograft, 190
microstomia
oran angle plasty, subcutaneous pedicle flap, facial burn, 230
midazolam
burned children, 307
mortality rate
prognostic indices, 373

NADH respiratory chain
rat-liver mitochondria, high-energy phosphate groups, rat liver, 377
neutrophils
intestinal alterations, thermal injury, 343
new burn unit
Bergen, Norway, 144
Norway
new burn unit, Bergen, 144
Norwich cage
skin graft, 67
oral angle plasty
subcutaneous pedicle flap, microstomia, facial burn, 230
paediatric burn injuries
Jeddah area, Saudi Arabia, 36
USA, New England, 41
painful experiences
authohypnosis, 441
partial skin thickness burns
bound wound healing, 13
perceived stressor
coping strategies, burn unit nurses, 109
pineapple stem
debridement, full-thickness skin burns, enzyme fractions, 243
planned health education
burn injury prevention, 198
potato peel dressings
burn wounds, 137
primary aid
Bashkir, train–gas pipeline disaster, 323
prognostic indices
mortality rate, 373
prognostic inflammatory and nutritional index (PINI)
acute phase proteins, burned children, 53
prostaglandins
sepsis, 9
proteoglycan-lymphocyte
hypertrophic scars, 21
provincial hospital
burn injuries, Kenya, 185
Pseudomonas aeruginosa
bacterial efficacy, 5 per cent povidone iodine cream, burn wound infection, 302
pulmonary
capillary dynamics, fluid distribution, inhalation injury, 25
pulmonary oedema
ibuprofen, smoke inhalation model, 409
radiator scald burns 135
radiolabelled colloid
reticuloendothelial system phagocytic activity, bacteria, 278
rat liver
Kupffer cells, experimental thermal injury, 83
NADH respiratory chain, rat-liver mitochondria, high-energy phosphate groups, 377
rat-liver mitochondria
NADH respiratory chain, high-energy phosphate groups, rat liver, 377
rehabilitation
limb amputation, 390
rehabilitation of burned patients
bilateral above-knee amputation, 297
reticuloendothelial phagocytic activity
skin, 57
reticuloendothelial system phagocytic activity
radiolabelled colloid, bacteria, 278
ring burn
electric burns, contact burns, 69
Saudi Arabia
paediatric burn injuries, Jeddah area, 36
scald accidents
aerosol inhalation, 291
scalded children
toxic shock syndrome, 221
selective intestinal decontamination
wound colonization, thermally injured mice, 166
self-immolation
suicide attempts, 257
sepsis
prostaglandins, 9
sick cell syndrome
burned patient, 309
silicone gell
tie-over dressings, skin grafting, 353
silicone gel sheet
dermal depth burn wounds, anti-microbial agent, 347
silver sulphadiazine
systemic absorption, sodium sulphadiazine, 163
skin
reticuloendothelial phagocytic activity, 57
skin allograft
wound contraction, microskin autografts, 190
skin graft
Norwich cage, 67
skin grafting
silicone gell, tie-over dressings, 353
skin substitutes, 358
smoke inhalation model
ibuprofen, pulmonary oedema, 409
socio-economic factors
hospitalized burn injuries, USA, New England, 273
sodium sulphadiazine
systemic absorption, silver sulphadiazine, 163
somatropin
anabolic activity, 17
stump length
upper extremities, electrical burn, 227
subcutaneous pedicle flap
oral angle plasty, microstomia, facial burn, 230
suicide attempts
self-immolation, 257
superoxide dismutase
lipid peroxidation, burned patients, 406
systemic absorption
silver sulphadiazine, sodium sulphadiazine, 163
tapwater scald burns 49
terrorist bombing
department store, Hipercor, Barcelona, 423, 426
thermal injury
cutaneous burn toxin, lipid peroxides, 118
neutrophils, intestinal alterations, 343
thermally injured mice
wound colonization, selective intestinal decontamination, 166
thermographic analysis hand burns, 60
Third World burn facility
infection control, 445
thromboxane
anisodamine, burn shock, 249
tie-over dressings
silicone gell, skin grafting, 353
topical antimicrobial testing
burn wound micro-organisms, 64
topical chlorhexidine diphosphanilate 217
toxic epidermal necrolysis 97
toxic shock syndrome
scalded children, 221
train–gas pipeline disaster
primary aid, Bashkir, 323
Bashkirian, American military response, 325
Bashkirian, USSR–USA collaboration, 339
burned children, Bashkir, acute management, Children's Hospital 9, Moscow, 329
burned children, Bashkir, Children's Hospital 9, Moscow, 333
translocation
intraluminal antibiotics, *Candida albicans*, burned guinea-pigs, 105
upper extremities
stump length, electrical burn, 227
urethral fistula
electrical burns, gracilis muscle flap, 467
urinary zinc
bladder catheters, 393
USA, New England
paediatric burn injuries, 41
socio-economic factors, hospitalized burn injuries, 273
USSR–USA collaboration
Bashkirian, train–gas pipeline disaster, 339
vitamin A
enteral formulae, burned guinea-pigs, 265
wound colonization
selective intestinal decontamination, thermally injured mice, 166
wound contraction
microskin autografts, skin allograft, 190
wrist
electrical injury, 449
YCWM
collagen sheet, burn wound dressing, 457